

**A joint collaboration between Stark County Public Health Agencies:**

Alliance City Health Department

Canton City Public Health

Massillon City Health Department

Stark County Health Department

**Stark County, Ohio**

**April 13, 2020 Epi Report**

Background from [www.cdc.gov](http://www.cdc.gov): Coronavirus disease 2019 (COVID-19) is a respiratory illness that can spread from person to person. The virus that causes COVID-19 is a novel coronavirus that was first identified during an investigation into an outbreak in Wuhan, China.

Patients with COVID-19 have had mild to severe respiratory illness with symptoms of:

- Fever
- Cough
- Shortness of breath

All data contained is preliminary and is subject to change as more information is reported to Ohio Department of Health (ODH). Data presented in this document is based on data as of 4.13.2020. Cases from previous days are likely to change as more information is entered.

Counts and rates are based on date of illness onset. If onset date is unknown, the earliest known date is utilized. Graphs and tables contained in this document are based on laboratory-confirmed cases.

Any rates based on counts less than 10 are considered unreliable and caution should be exercised when interpreting. Due to testing restrictions, data may be skewed. Report compiled by Canton City Public Health.

For questions regarding this report, please contact:

Amanda Archer, MPH [aarcher@cantonhealth.org](mailto:aarcher@cantonhealth.org)

Jessica Boley, RD, LD [jboley@cantonhealth.org](mailto:jboley@cantonhealth.org)

Avinash Joseph, MPH [JosephA@starkhealth.org](mailto:JosephA@starkhealth.org)



Data is sourced from: [coronavirus.ohio.gov](http://coronavirus.ohio.gov), ODH data warehouse, and [census.gov](http://census.gov). "These data were provided by the Ohio Department of Health. The Department specifically disclaims responsibility for any analyses, interpretations or conclusions."

**Stark County Epi Situational Report - COVID-19**

**Table 1 as of: 04/13/2020 2:00PM**

Next report scheduled: 4/15/2020

| Cases Reported to Stark LHDs |     |        |
|------------------------------|-----|--------|
| Data as of 04.13.2020 1400   |     |        |
| Positive/Confirmed           | 162 |        |
| Hospitalized                 | 43  | 26.54% |
| ICU Admissions               | 12  | 7.41%  |
| Deaths                       | 15  | 9.26%  |

| Cases Reported to ODH*     |      |        |
|----------------------------|------|--------|
| Data as of 04.13.2020 1400 |      |        |
| Positive/Confirmed         | 6881 |        |
| Hospitalized               | 2033 | 29.55% |
| ICU Admissions             | 613  | 8.91%  |
| Deaths                     | 268  | 3.89%  |

**Descriptive Statistics for Stark County Confirmed Cases**

| Gender |     |        |  |
|--------|-----|--------|--|
| Male   | 67  | 41.36% |  |
| Female | 95  | 58.64% |  |
| Total  | 162 |        |  |

| Age Range (in Years) |    |            |               |
|----------------------|----|------------|---------------|
| 16                   | to | 97         | 56.5          |
| <i>Min</i>           |    | <i>Max</i> | <i>Median</i> |

| Race  |       |       |       |         |
|-------|-------|-------|-------|---------|
|       | White | Black | Other | Unknown |
| Count | 77    | 10    | 19    | 56      |
| %     | 48%   | 6%    | 12%   | 35%     |

| Ethnicity |          |          |         |
|-----------|----------|----------|---------|
|           | Hispanic | Non-Hisp | Unknown |
| Count     | 1        | 64       | 97      |
| %         | 0.6%     | 39.5%    | 59.9%   |

**Illness Information for Stark County Confirmed Cases**


| Illness Onset Date or<br>Earliest Known Date |
|--|
| 2/25/2020 through 4/12/2020                  |

| Pre-existing Conditions |    |     |
|-------------------------|----|-----|
| Yes                     | 79 | 49% |
| No                      | 83 | 51% |

| Hospitalized |    |     |
|--------------|----|-----|
| Yes          | 43 | 27% |
| No           | 78 | 48% |
| Not reported | 41 | 25% |

| If hospitalized, in ICU? |    |     |
|--------------------------|----|-----|
| Yes                      | 12 | 28% |
| No                       | 31 | 72% |

## Signs & Symptoms in Confirmed Stark County Cases Graph 1



**Signs/Symptoms Reported by Cases**


**Table 2**

|                     | Yes | No | % Yes |
|---------------------|-----|----|-------|
| Abdominal Pain      | 16  | 64 | 9.9%  |
| Chills              | 44  | 30 | 27.2% |
| Cough               | 77  | 20 | 47.5% |
| Diarrhea            | 26  | 0  | 16.0% |
| Fatigue             | 10  | 0  | 6.2%  |
| Fever               | 85  | 24 | 52.5% |
| Headache            | 46  | 5  | 28.4% |
| Loss of smell/taste | 15  | 0  | 9.3%  |
| Muscle Aches        | 60  | 21 | 37.0% |
| Nausea              | 33  | 49 | 20.4% |
| Runny Nose          | 27  | 46 | 16.7% |
| Shortness of Breath | 61  | 33 | 37.7% |
| Sore Throat         | 27  | 47 | 16.7% |
| Subjective Fever    | 71  | 22 | 43.8% |

Graph 1 shows the incidence of signs and symptoms reported by confirmed cases of COVID-19 in Stark County. Two symptoms that are similar are subjective fever where in a patient felt feverish and fever in which is defined as a fever of >100.4F (38C). Additional symptoms may be added in the future as prevalence increases.


Table 2 is a count of known symptoms and number of cases in which those symptoms appear. Due to missing information, totals may not equal the total count of cases. Symptoms are listed in alphabetical order.

EPIDEMIOLOGICAL REPORT ON COVID-19



Graph 2 shows the EpiCurve which displays the total number of laboratory-confirmed cases per day, based on the illness onset date for Stark County and Ohio. If the illness onset date is not available, the earliest known date is utilized, which could include the date the specimen was collected, the date the test resulted or the date reported to the local health department. Counts will change as additional information is collected. Totals may not equal the totals on Table 1 depending on when data was accessed. Stark County’s first confirmed case reported an illness onset date of 2/25/2020, while Ohio had cases prior to 2/25/2020, those are not included.


Cumulative Total Confirmed Cases for Ohio and Stark County  
Graph 3




Graph 3 shows the cumulative cases in Ohio (left side/primary axis) and Stark County (right side/secondary axis) by date. The timeline begins with 2/25/2020 due to this date being the earliest illness onset date reported by a laboratory-confirmed case in Stark County.

Graph 4 shows the total number of confirmed cases by age group. Due to low numbers in Stark County, the age groups are different than what is reported on a state level. Age groups may be broken down further as new cases emerge.

Total Number of Confirmed Cases by Age Group in Stark County  
Graph 4




Daily Count of Cases Since First Initial Illness Onset Identified  
Graph 5



Graph 5 is based on number of days that have passed since the date of illness onset was reported by the first laboratory-confirmed case in Stark County and Ohio (Day 0). For Ohio, the first date of illness onset reported by a laboratory-confirmed case is 02/07/2020. For Stark County, the first date of illness onset reported by a laboratory-confirmed case was 02/25/2020. The number for total cases in Ohio is on the left/primary axis with Stark County on the right/secondary axis.

### Rates of Confirmed Cases by Population

Graph 6



| Counts of Cases | Ohio | Stark County |
|-----------------|------|--------------|
| Confirmed       | 6881 | 162          |
| Hospitalized    | 2033 | 43           |
| Deaths          | 268  | 15           |

Rates based on 2018 population from data.census.gov.  
 Rates=(count/population)\*100000

Graph 6 shows the rates dependent on the 2018 population in Ohio and Stark County. This graph works to compare cases in different populations by normalizing the cases per 100,000 persons.

- Ohio’s rate of laboratory confirmed cases is 1.4x higher than those in Stark County.
- Ohio’s rate of laboratory confirmed cases who require hospitalization is 1.5x higher than Stark County’s rate.
- Stark County’s rate of death due to COVID-19 complications is 1.8x higher than Ohio’s rate.

The past reports that were released had an incorrect calculation with rates for Stark County. This error was identified on 4/13/2020 and corrected. Below are the correct rates for the previous reports.

| Stark County Rates | 3/27/2020 | 3/30/2020 | 4/1/2020 | 4/3/2020 | 4/6/2020 | 4/8/2020 | 4/10/2020 |
|--------------------|-----------|-----------|----------|----------|----------|----------|-----------|
| Confirmed          | 5.65      | 11.84     | 13.99    | 24.49    | 29.33    | 30.68    | 34.18     |
| Hospitalized       | 1.61      | 2.69      | 3.50     | 4.58     | 6.19     | 7.27     | 8.34      |
| Deaths             | 0.54      | 0.81      | 0.81     | 1.08     | 1.88     | 1.88     | 2.96      |